



MATERIAL SAFETY DATA SHEET

Product: **Cem Seal 130**

1: IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND OF THE COMPANY/ UNDERTAKING

Product Name: **CEM SEAL 130**

Application: **Cementitious Liquid Polymer Waterproofing Membrane**

Company: **LaMaCo System Sdn. Bhd.**

Address: **407, Jalan Perusahaan 6, Taman Bandar Baru Mergong, 05150, Alor Setar, Kedah Darul Aman, Malaysia**

Email: info@lamaco.com

http: www.lamaco.com

Telephone: **+ + 60 - 4 - 771 1111**

Fax: **+ + 60 - 4 - 772 4444**

2: COMPOSITION/INFORMATION ON INGREDIENTS

Composition Part A: **Butyl Arcylic Styrene**

Composition Part B: **Cement & Quart Sand**

Hazardous Ingredient(s) **Non Content**

Risk Phrases: **Safety, Non-Risk**

Other Information %: **None**

3: HAZARDS IDENTIFICATION

Hazards: **Long term skin contact may cause health problems.**

4. FIRST AID MEASURES

Eyes: **Irrigate immediately with copious quantity of water for several minutes. Obtain medical attention if irritation persists.**



MATERIAL SAFETY DATA SHEET

Product: **Cem Seal 130**

Skin: **Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.**

Inhalation: **Remove from exposure – unlikely to occur.**

Ingestion: **Wash out mouth with water. Do NOT induce vomiting. Obtain medical attention**

5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: **None, Non Flammable.**

Special Exposure Hazards: **None**

Special Protective Equipment: **None**

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: **Wear suitable protective clothing, gloves and Eye / face protection.**

Environmental Precautions: **Prevent entry into drains, sewers and water courses**

Decontamination Procedures: **Soak up with inert absorbent or contain and remove by best. Available means. Gather into container. Dispose of as waste.**

7: HANDLING AND STORAGE

Handling: **Avoid skin and eye contact.**

Storage: **Store in cool, dry areas. Protect from frost.**

8: EXPOSURE CONTROL/PERSONAL PROTECTION

Occupational Exposure Limits: **Yes, stored under proper conditions or safety area**

Engineering Control Measures: **Ventilation no requirement noted.**



MATERIAL SAFETY DATA SHEET

Product: **Cem Seal 130**

9: PHYSICAL CHEMICAL PROPERTIES

Physical State:	Acrylic paste
Colour:	Grey/Coloured upon request
Odour:	Typical
pH (concentrate):	8%
Boiling Point/Range (°C):	Not applicable
Flash Point (closed °C):	> 260 °C
Autoflammability (°C):	Not applicable
Explosive Properties (%)	Not applicable
Oxidising Properties;	Not applicable
Vapour Pressure (kPa at 20 °C):	Not applicable
Relative Density (at 20 °C):	1.65 g/cu.cm
Water Solubility:	Good

10: STABILITY AND REACTIVITY

Stability:	Stable
Conditions to Avoid:	Temperature (°C) below 0. Temperature (°C) above > 200
Materials to Avoid:	Water
Hazardous Decomposition Products:	Fire

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on the knowledge of the toxicity of the product's components.

Health Effects:



MATERIAL SAFETY DATA SHEET

Product: Cem Seal 130

On Eyes: **Irritation**

On Skin: **Unlikely to irritate on brief or occasional exposure**

By Inhalation: **Low volatility makes inhalation unlikely at ambient temperatures**

By Ingestion: **Non-toxicity. May cause irritation of mouth, throat and digestive tract.**

Chronic: **Repeated and prolonged skin contact may lead to skin disorders.**

12: ECOLOGICAL INFORMATION

Environmental Assessment: **When used and disposed of as intended; no adverse environmental effects are foreseen**

Mobility: **Mobile liquid. Water only.**

Persistence and Degradability: **Not readily biodegradable**

Bio accumulative Potential: **Not expected to be bio accumulative.**

Ecotoxicity: **Non-toxic to all types of drinking Water/fish/daphnia/algae**

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: **Dispose of through an authorized waste contractor to a licensed site. Do not empty into drains, sewers or a water courses.**

Used/Contaminated Product: **As for unused product**

Packaging: **May be steam cleaned and recycled.**



MATERIAL SAFETY DATA SHEET

Product: **Cem Seal 130**

14: REGULATORY INFORMATION

Hazel Label Data:

This product is NOT classified as dangerous for supply in the MALAYSIA & ASIA & European (EEC) & United States Of America & Latin America countries.

Safety Phases:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Avoid contact with skin and eyes.
EC Directive:	Dangerous Substances Directive, 67/548/EEC and adoptions. Dangerous Preparation Directive, 88/379/EEC Safety Data Sheet Directive, 91/155/EEC.
Statutory Instruments:	Chemicals (Hazard Information & Packaging for Supply) (Amendment) Regs. 1996 (SI1092). Control of Substances Hazardous to Health Regs. 1994 (SI 3246)
Codes of Practice:	Waste Management. The Duty of Care. The above publications are available from HMSO

This MSDS summarizes our best knowledge of the Health and safety information of the product and how to safely handle the product. Each user should read this MDSF and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.